

**CRF Errors Corrected by the STIC Systems Branch**

**Serial Number:** 09/493,803

CRF Processing Date: 7/17/2000  
 Edited by: [Signature]  
 Verified by: \_\_\_\_\_ (STIC staff)

- ☐ Changed a file from non-ASCII to ASCII
- ☐ Changed the margins in cases where the sequence text was "wrapped" down to the next line.
- ☐ Edited a format error in the Current Application Data section, specifically:  

ENTERED

---
- ☐ Edited the Current Application Data section with the actual current number. The number inputted by the applicant was ☐ the prior application data; or ☐ other \_\_\_\_\_.
- ☐ Added the mandatory heading and subheadings for "Current Application Data".
- ☐ Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integer.
- ☐ Changed the spelling of a mandatory field (the headings or subheadings), specifically:  


---
- ☐ Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were:  


---
- ☐ Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited:  


---
- ☐ Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.
- ☐ Inserted colons after headings/subheadings. Headings edited included:  


---
- ☐ Deleted extra, invalid, headings used by an applicant, specifically:  


---
- ☒ Deleted: ☒ non-ASCII "garbage" at the beginning/end of files; ☐ secretary initials/filename at end of file;  
☐ page numbers throughout text; ☐ other invalid text, such as \_\_\_\_\_.
- ☐ Inserted mandatory headings, specifically: \_\_\_\_\_
- ☐ Corrected an obvious error in the response, specifically:  


---
- ☐ Edited identifiers where upper case is used but lower case is required, or vice versa.
- ☐ Corrected an error in the Number of Sequences field, specifically:  


---
- ☐ A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted.
- ☐ Deleted *ending* stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (error due to a PatentIn bug). Sequences corrected: \_\_\_\_\_
- ☐ Other:  


---



---



---

**\*Examiner:** The above corrections must be communicated to the applicant in the first Office Action. DO NOT send a copy of this form. 3/1/95

PAGE: 1

RAW SEQUENCE LISTING  
PATENT APPLICATION US/09/493,803

DATE: 02/17/2000  
TIME: 12:50:02

Input Set: I493803.RAW

This Raw Listing contains the General  
Information Section and those Sequences  
containing ERRORS.

1 <110> Good, Allen G.  
2 <120> TISSUE-SPECIFIC EXPRESSION OF TARGET GENES IN PLANTS  
3 <130> AGZ-002  
4 <140> US/09/493,803  
5 <141> 2000-01-28  
6 <160> 1  
7 <170> PatentIn Ver. 2.0

Does Not Comply  
Corrected Diskette Needed

ERRORED SEQUENCES FOLLOW

8 <210> 1  
9 <211> 365  
10 <212> DNA  
11 <213> Brassica napus  
12 <400> 1  
13 gtcgacctgc aggtcaacgg atcctaatacg gggatatatcc cgacccggaa aaagaaacgt 60  
14 aggacacgtg acaaaacttc atatgatccg agtgaatcaa gccaaaaggg ggattgacac 120  
15 aacagctcag ctttcgtttt cgggtccaatc gctgttccaa ctttacttac aagtcgtaca 180  
16 cgtctctctc tctctctctc tctctcactc acttctcttt ataaagactc tctgatcaaa 240  
17 cgtataatcg gaaaactcca ttctttgata ccategataa tactaagaga ggtgattgat 300  
18 tctttaatca ctgtttgata tccttaactt tgatccattt actctgttca atcatttttg 360  
19 tagag 365  
E--> 20 attorney docket no: agz-002  
21 - 1

Input Set: I493803.RAW

Line	? Error/Warning	Original Text
20	E Number of Bases conflict w/ Running Total	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	E Wrong Nucleic Acid Designator	ATTORNEY DOCKET NO: AGZ-002
20	W "N" or "Xaa" used: Feature required	ATTORNEY DOCKET NO: AGZ-002

Input Set: I493803.RAW

Line Original Text

Corrected Data

-----  
20 ATTORNEY DOCKET NO: AGZ-002

-----  
attorney docket no: agz-002